

Tryponil Super

Diminazene, Phenazone & Vitamin B sachet



*For treatment of babesiosis, piroplasmosis
and trypanosomiasis*



Tryponil Super

Powder for parenteral administration

Diminazene aceturate belongs to the group of aromatic diamidines with therapeutic activity against babesiosis, piroplasmosis and trypanosomiasis. Vitamin B₆ and B₁₂ aid to combat the anaemic effects of the disease through stimulation of red blood cell formation.

CONTAINS PER SACHET OF 2.37 GRAM


Diminazene aceturate	1.05 g.
Phenazone	1.31 g.
Vitamin B ₆ , pyridoxine HCl	8 mg.
Vitamin B ₁₂ , cyanocobalamin	2 mg.

CONTAINS PER SACHET OF 23.7 GRAM

Diminazene aceturate	10.5 g.
Phenazone	13.1 g.
Vitamin B ₆ , pyridoxine HCl	80 mg.
Vitamin B ₁₂ , cyanocobalamin	20 mg.

INDICATIONS

Treatment of babesiosis, piroplasmosis and trypanosomiasis in camels, cattle, cats, dogs, goats, horses, sheep and swine.



Vitamins for stimulation of red blood cell formation.

DOSAGE

For deep intramuscular administration.

Dissolve 2.37 (23.7) gram of powder in 15 (150) ml of sterile water before use to prepare an injectable solution, and administer at 1 ml per 20 kg body weight (i.e. 2.37 (23.7) g per 300 (3000) kg body weight). Use only freshly prepared solutions for injections.

WITHDRAWAL TIMES

- For meat : 21 days.
- For milk : 4 days.

PACKAGING

Sachet of 2.37 or 23.7 g.



sales@interchemie.com | interchemie.com

Manufactured by
Interchemie werken "De Adelaar" B.V.
Metaalweg 8, Venray, The Netherlands

XFMTT2-EN-01-21082020